

**INSTITUT FÜR INFORMATIONSSYSTEME**  
ABTEILUNG DATENBANKEN UND ARTIFICIAL INTELLIGENCE

# **Incorporating Stage Semantics in the SCC-recursive Schema for Argumentation Semantics**

**DBAI-TR-2012-78**

**Wolfgang Dvořák      Sarah Alice Gaggl**

Institut für Informationssysteme  
Abteilung Datenbanken und  
Artificial Intelligence  
Technische Universität Wien  
Favoritenstr. 9  
A-1040 Vienna, Austria  
Tel: +43-1-58801-18403  
Fax: +43-1-58801-18493  
sekret@dbai.tuwien.ac.at  
www.dbai.tuwien.ac.at

DBAI TECHNICAL REPORT

2012



TECHNISCHE  
UNIVERSITÄT  
WIEN  
Vienna University of Technology

## Incorporating Stage Semantics in the SCC-recursive Schema for Argumentation Semantics

Wolfgang Dvořák<sup>1</sup>      Sarah Alice Gaggl<sup>1</sup>

**Abstract.** Recently, the stage and *cf2* semantics for abstract argumentation attracted specific attention. By distancing from the notion of defense, they are capable to select arguments out of odd-length cycles. Furthermore, the maximality criterion of naive sets ensures reasonable solutions. The SCC-recursive schema, where the *cf2* semantics is defined in, guarantees that some specific evaluation criteria, like directionality, weak- and  $\mathcal{CF}$ -reinstatement, are fulfilled. Beside several desirable properties, both stage and *cf2* semantics still have some drawbacks. The stage semantics does not satisfy the above mentioned evaluation criteria, whereas *cf2* semantics produces some questionable results on frameworks with cycles of length  $\geq 6$ . That's why we suggest to combine stage semantics with the SCC-recursive schema of *cf2* semantics. The resulting *stage2* semantics overcomes the problems regarding *cf2* semantics and still fulfills the mentioned evaluation criteria. Furthermore, we analyze redundant patterns for *stage2* semantics, and we provide a complexity analysis of the associated reasoning problems.

---

<sup>1</sup>Institute of Information Systems 184/2, Technische Universität Wien, Favoritenstrasse 9-11, 1040 Vienna, Austria. E-mail: [dvorak,gaggl@dbai.tuwien.ac.at](mailto:dvorak,gaggl@dbai.tuwien.ac.at)

**Acknowledgements:** This work has been funded by the Vienna Science and Technology Fund (WWTF) through project ICT08-028.

Copyright © 2012 by the authors

# 1 Introduction

For abstract argumentation frameworks (AFs) there are many semantics with different requirements, properties and meanings. In this work we concentrate on semantics based on maximal conflict-free sets, so called naive sets.

While traditional argumentation semantics build on the concept of admissible sets, i.e. sets where each argument attacking an argument in the set is also attacked by the set, recently, some semantics raised attention because they abandon the notion of admissibility and build on naive sets. Following this observation, a distinction is drawn between these kinds of semantics, the so called *admissible-based* and *naive-based* semantics.

Recent investigations [5, 3, 7, 6] showed, in certain situations the admissible-based semantics do not provide satisfying results. For instance the appearance of odd-length cycles and in particular self-attacking arguments as a special case of them, have a strong and sometimes undesired influence on the computation of solutions. None of the admissible-based semantics is able to select arguments of such a cycle as accepted, and moreover, they reject arguments just because they are attacked by a self-attacking argument. The reason for this behavior is that in an odd-length cycle, arguments defend their own attacker. As naive-based semantics do not rely on the notion of defense, one can accept both, arguments in an odd-length cycle, as well as arguments attacked by such arguments. One attempt to treat odd- and even-length cycles in a uniform way is met by *cf2* semantics, built on the SCC-recursive schema of Baroni et al. [5]. However, *cf2* semantics deal odd-length cycles in a more sensitive way, the evaluation of odd-cycle-free AFs e.g. if even-length cycles occur, is now questionable [19, 22]. On the other side, stage semantics [24] can also handle odd-length cycles and does not change the behavior of odd-cycle-free AFs. The disadvantages of stage semantics are that very basic properties are not satisfied, for example the skeptical acceptance of unattacked arguments, i.e. the weak reinstatement property [3] is violated.

While naive-based semantics seem to be the right candidates when the above described behavior of admissible-based semantics is unwanted, there are several shortcomings with existing approaches, as mentioned above. To overcome those problems we propose a new semantics combining concepts from *cf2* and stage semantics, which we name *stage2* semantics.

The contributions of this work can be summarized as follows:

- We have a closer look at the properties of, and differences between, existing naive-based semantics stage and *cf2*, highlighting their shortcomings.
- We suggest to combine the concepts of stage and *cf2* semantics, where we use the SCC-recursive schema of *cf2* semantics and instantiate the base case with stage semantics. In this way, we obtain the novel *stage2* semantics.
- We point out the basic properties of the novel semantics and show that it solves most of the above mentioned problems. In particular, we evaluate *stage2* semantics with the criteria proposed in [3].
- Moreover, we analyze redundant patterns w.r.t. *stage2* semantics, where it turns out that it is the second semantics, beside *cf2*, satisfying the succinctness property [22].

- reasoning problems. Finally, we study computational properties of *stage2* semantics, providing a complexity analysis for the standard argumentation reasoning tasks. We show that complexity from stage semantics carries over to *stage2* semantics and therefore *stage2* is among the computationally hardest argumentation semantics.

## 2 Preliminaries

In this section we introduce the basics of abstract argumentation, the semantics we need for further investigations followed by a comparison of *cf2* and stage semantics.

### 2.1 Abstract Argumentation

We first give the formal definition of abstract argumentation frameworks as introduced by Dung in [12].

**Definition 2.1** *An argumentation framework (AF) is a pair  $F = (A, R)$ , where  $A$  is a finite set of arguments and  $R \subseteq A \times A$  is the attack relation. The pair  $(a, b) \in R$  means that  $a$  attacks  $b$ . A set  $S \subseteq A$  of arguments defeats  $b$  (in  $F$ ), if there is an  $a \in S$ , such that  $(a, b) \in R$ . An argument  $a \in A$  is defended by  $S \subseteq A$  (in  $F$ ) iff, for each  $b \in A$ , it holds that, if  $(b, a) \in R$ , then  $S$  defeats  $b$  (in  $F$ ). Moreover, given an AF  $F$ , we use  $A_F$  to denote the set of its arguments and resp.  $R_F$  to denote its attack relation.*

The inherent conflicts between the arguments are solved by selecting subsets of arguments, where a semantics  $\sigma$  assigns a collection of sets of arguments to an AF  $F$ . The basic requirement for all semantics is that none of the selected arguments attack each other.

**Definition 2.2** *Let  $F = (A, R)$  be an AF. A set  $S \subseteq A$  is said to be conflict-free (in  $F$ ), if there are no  $a, b \in S$ , such that  $(a, b) \in R$ . We denote the collection of sets which are conflict-free (in  $F$ ) by  $cf(F)$ . A set  $S \subseteq A$  is maximal conflict-free or naive, if  $S \in cf(F)$  and for each  $T \in cf(F)$ ,  $S \not\subseteq T$ . We denote the collection of all naive sets of  $F$  by  $naive(F)$ . For the empty AF  $F_0 = (\emptyset, \emptyset)$ , we set  $naive(F_0) = \{\emptyset\}$ .*

Towards the definition of the semantics we introduce the following formal concepts.

**Definition 2.3** *Given an AF  $F = (A, R)$  and let  $S \subseteq A$ . The characteristic function  $\mathcal{F}_F : 2^A \rightarrow 2^A$  of  $F$  is defined as  $\mathcal{F}_F(S) = \{x \in A \mid x \text{ is defended by } S\}$ . We define the range of  $S$  as  $S_R^+ = S \cup \{b \mid \exists a \in S, s. t. (a, b) \in R\}$ .*

In the following we give brief definitions of the standard semantics in abstract argumentation [12] together with the definition of stage semantics [24]. For comprehensive surveys on argumentation semantics the interested reader is referred to [4, 2].

**Definition 2.4** *Let  $F = (A, R)$  be an AF. A set  $S \subseteq A$  is said to be*

- a *stable extension* (of  $F$ ), i.e.  $S \in \text{stable}(F)$ , if  $S \in \text{cf}(F)$  and each  $a \in A \setminus S$  is defeated by  $S$  in  $F$ ;
- an *admissible extension*, i.e.  $S \in \text{adm}(F)$ , if  $S \in \text{cf}(F)$  and each  $a \in S$  is defended by  $S$ ;
- a *preferred extension*, i.e.  $S \in \text{prf}(F)$ , if  $S \in \text{adm}(F)$  and for each  $T \in \text{adm}(F)$ ,  $S \not\subseteq T$ ;
- the *grounded extension* (of  $F$ ), i.e. the unique set  $S \in \text{grd}(F)$ , is the least fixed-point of the characteristic function  $\mathcal{F}_F$ ;
- a *stage extension* (of  $F$ ), i.e.  $S \in \text{stg}(F)$ , if  $S \in \text{cf}(F)$  and for each  $T \in \text{cf}(F)$ ,  $S_R^+ \not\subseteq T_R^+$ .

Next we consider *cf2* semantics, which is based on a decomposition along the strongly connected components (SCCs) of an AF. Hence, we require some further formal machinery and concepts from graph theory. By  $\text{SCCs}(F)$ , we denote the set of *strongly connected components* of an AF  $F = (A, R)$ , i.e. sets of vertices of the maximal strongly connected<sup>1</sup> sub-graphs of  $F$ ;  $\text{SCCs}(F)$  is thus a partition of  $A$ . Moreover, for an argument  $a \in A$ , we denote by  $C_F(a)$  the component of  $F$  where  $a$  occurs in, i.e. the (unique) set  $C \in \text{SCCs}(F)$ , such that  $a \in C$ . AFs  $F_1 = (A_1, R_1)$  and  $F_2 = (A_2, R_2)$  are called *disjoint* if  $A_1 \cap A_2 = \emptyset$ . Moreover, the union between (not necessarily disjoint) AFs is defined as  $F_1 \cup F_2 = (A_1 \cup A_2, R_1 \cup R_2)$ .

It turns out to be convenient to use two different concepts to obtain sub-frameworks of AFs. Let  $F = (A, R)$  be an AF and  $S$  a set of arguments. Then,  $F|_S = ((A \cap S), R \cap (S \times S))$  is the *sub-framework* of  $F$  w.r.t.  $S$ , and we also use  $F - S = F|_{A \setminus S}$ . We note the following relation (which we use implicitly later on), for an AF  $F$  and sets  $S, S'$ :  $F|_{S \setminus S'} = F|_S - S' = (F - S')|_S$ .

We now give the definition of the *cf2* semantics which slightly differs from (but is equivalent to) the original definition in [5].

**Definition 2.5** Let  $F = (A, R)$  be an AF and  $S \subseteq A$ . An argument  $b \in A$  is *component-defeated* by  $S$  (in  $F$ ), if there exists an  $a \in S$ , such that  $(a, b) \in R$  and  $a \notin C_F(b)$ . The set of arguments *component-defeated* by  $S$  in  $F$  is denoted by  $D_F(S)$ .

**Definition 2.6** Let  $F = (A, R)$  be an argumentation framework and  $S$  a set of arguments. Then,  $S$  is a *cf2 extension* of  $F$ , i.e.  $S \in \text{cf2}(F)$ , iff


- in case  $|\text{SCCs}(F)| = 1$ , then  $S \in \text{naive}(F)$ ,
- else,  $\forall C \in \text{SCCs}(F)$ ,  $(S \cap C) \in \text{cf2}(F|_C - D_F(S))$ .

In words, the recursive definition  $\text{cf2}(F)$  is based on a decomposition of the AF  $F$  into its *SCCs* depending on a given set  $S$  of arguments.

We illustrate the behavior of the introduced semantics in the following example.

**Example 2.7** Consider the following AF  $F = (A, R)$  with  $A = \{a, b, c\}$  and  $R = \{(a, b), (b, c), (c, b), (c, c)\}$ .

<sup>1</sup>A directed graph (and resp. an AF) is called *strongly connected* if there is a path from each vertex in the graph to every other vertex of the graph.



Then, the above defined semantics yield the following extensions.

- $stable(F) = \emptyset$ ;
- $adm(F) = \{\{\}, \{a\}\}$ ;
- $prf(F) = grd(F) = cf2(F) = \{\{a\}\}$ .
- $naive(F) = stg(F) = \{\{a\}, \{b\}\}$ ;

◇

## 2.2 Properties of $cf2$ and Stage Semantics

To avoid the recursive computation of sub-frameworks, Gaggl and Woltran introduced in [20] an alternative characterization of  $cf2$  semantics which requires the following concepts.

**Definition 2.8** An AF  $F = (A, R)$  is called separated if for each  $(a, b) \in R$ ,  $C_F(a) = C_F(b)$ . We define  $[[F]] = \bigcup_{C \in SCCs(F)} F|_C$  and call  $[[F]]$  the separation of  $F$ .

That is, an AF is separated if there are no attacks between different SCCs and the separation of an AF deletes all attacks between different SCCs.

Towards the characterization of  $cf2$  semantics, we require a parametrized notion of reachability.

**Definition 2.9** Let  $F = (A, R)$  be an AF, arguments  $a, b \in A$  and  $B \subseteq A$ . We say that  $b$  is reachable in  $F$  from  $a$  modulo  $B$ , in symbols  $a \Rightarrow_F^B b$ , if there exists a path from  $a$  to  $b$  in  $F|_B$ , i.e. there exists a sequence  $c_1, \dots, c_n$  ( $n > 1$ ) of arguments such that  $c_1 = a$ ,  $c_n = b$ , and  $(c_i, c_{i+1}) \in R \cap (B \times B)$ , for all  $i$  with  $1 \leq i < n$ .

Finally we introduce the operator  $\Delta_{F,S}(\cdot)$  and its least fixed-point.

**Definition 2.10** For an AF  $F = (A, R)$ ,  $D \subseteq A$  and  $S \subseteq A$ ,

$$\Delta_{F,S}(D) = \{a \in A \mid \exists b \in S : b \neq a, (b, a) \in R, \\ a \not\Rightarrow_F^{A \setminus D} b\}.$$

It is easy to see that the operator  $\Delta_{F,S}(\cdot)$  is monotonic and thus it has a least fixed-point (lfp). With slightly abuse of notation we will denote the least fixed-point as  $\Delta_{F,S}$ .

Now the  $cf2$  extensions can be characterized as follows.

**Proposition 2.11** For any AF  $F$ ,

$$cf2(F) = \{S \mid S \in naive(F) \cap naive([[F - \Delta_{F,S}]])\}.$$

In the following we illustrate how the characterization of Proposition 2.11 can be used for identifying  $cf2$  extensions, for a more detailed explanation we refer to [20, 22].

**Example 2.12** To exemplify the behavior of  $\Delta_{F,S}$  and  $[[F - \Delta_{F,S}]]$  let's consider the AF  $F$  of Example 2.7.  $F$  has two naive sets, namely  $S = \{a\}$  and  $T = \{b\}$ . First, we concentrate on the set  $S$  and compute  $\Delta_{F,S} = \{b\}$  and  $[[F - \Delta_{F,S}]] = (\{a, c\}, \{(c, c)\})$ . Thus,  $S \in naive([[F - \Delta_{F,S}]])$  and clearly  $S \in cf2(F)$ .

For  $T$  we obtain  $\Delta_{F,T} = \emptyset$  and  $[[F - \Delta_{F,T}]] = (A, \{(b, c), (c, b), (c, c)\})$ . Now,  $T \notin naive([[F - \Delta_{F,T}]])$ , as there is the set  $T' = \{a, b\} \supset T$  and  $T' \in cf2([[F - \Delta_{F,T}]])$ .

The motivation in [20] for providing the alternative characterization of  $cf2$  semantics was to design a compact Answer-set Programming (ASP) encoding which has also been incorporated in the system ASPARTIX<sup>2</sup> [17]. Furthermore, it facilitated the analysis of redundant patterns w.r.t.  $cf2$  semantics [21, 22] and the proof of general complexity results for reasoning problems regarding the  $cf2$  semantics [22].

Now, we focus on the special behavior of  $cf2$  and stage semantics. They are both based on naive sets, thus they are, in contrast to admissible-based semantics, capable to select arguments out of odd-length cycles as accepted. Consider the following example.

**Example 2.13** Suppose there are three witnesses  $A$ ,  $B$  and  $C$ , where  $A$  states that  $B$  is unreliable,  $B$  states that  $C$  is unreliable and  $C$  states that  $A$  is unreliable. Moreover,  $C$  has a statement  $S$ . The graph of the framework  $F$  is illustrated on the left side. Any admissible-based semantics returns the empty set as its only extension. But if we have four rather than three witnesses, let's call the fourth one  $X$ , as in the AF  $G$  on the right side, the situation changes, and the preferred extensions of  $G$  are  $\{a, c, s\}$  and  $\{b, x\}$ .




On the other hand, the naive-based semantics return  $stg(F) = cf2(F) = \{\{b\}, \{a, s\}, \{c, s\}\}$  and  $stg(G) = cf2(G) = \{\{a, c, s\}, \{b, x\}\}$ .  $\diamond$

The motivation behind selecting arguments out of an odd-length cycle is to see the arguments as different choices and to be able to choose between them. There is no need for defense, and the naive sets ensure  $I$ -maximality [3]. A special case of odd-length cycles are self-attacking arguments. One might think that it is not necessary to defend against those "broken" arguments. But, admissible-based semantics are not able to distinguish if it is necessary to defend against an attack or not. In this case it might also be desired to abandon defense and take the naive sets as the basic requirement.

So far, we only discussed the positive behavior of the  $cf2$  semantics, but unfortunately there are also some disadvantages.

<sup>2</sup>See <http://rull.dbai.tuwien.ac.at:8080/ASPARTIX/> for a web front-end.

**Example 2.14** Consider the AF  $F$ :



The framework consists of a single SCC, so we obtain  $cf2(F) = naive(F) = \{\{a, d\}, \{b, e\}, \{c, f\}, \{a, c, e\}, \{b, d, f\}\}$ . In this example we have an even-length cycle and the  $cf2$  semantics produce some strange extensions like  $\{a, d\}, \{b, e\}$  and  $\{c, f\}$ . Every argument of those extensions is contained in one of the other two  $cf2$  extensions  $\{a, c, e\}$  and  $\{b, d, f\}$ , hence it does not make much sense to also accept the extensions which defend their attacker. In contrast, the stage extensions are  $stg(F) = \{\{a, c, e\}, \{b, d, f\}\}$ , as expected.  $\diamond$

Example 2.14 shows, that also the  $cf2$  semantics has some drawbacks. Furthermore, for AFs  $F$  with odd-length cycles  $\geq 9$ , we can also obtain  $cf2(F) \neq stg(F)$ . Whereas, stage semantics gives more reasonable results especially on single SCCs and still guarantees a uniform treatment of odd-, and even-length cycles. As stage semantics extends stable semantics in the sense that both semantics coincide if at least one stable extension exists, it holds that for SCCs without odd-length cycles stage semantics proposes stable extensions. Similar observations have also been made in [19]. However, for a stage extension it might be the case that even unattacked arguments are not accepted and more general that the grounded extension is not contained in every stage extension.

### 3 Combining Stage and $cf2$ Semantics

In the previous section, we observed that the stage semantics has a more intuitive behavior on single SCCs, because there  $cf2$  semantics only selects the naive extensions.

Our suggestion is to combine the two semantics, where we use the SCC-recursive schema of the  $cf2$  semantics and instantiate the base case with stage semantics. To retain the naming introduced by Baoni et al. in [5], we denote the obtained semantics as  $stage2$ .

**Definition 3.1** Let  $F = (A, R)$  be an AF and  $S \subseteq A$ . Then,  $S$  is a  $stage2$  extension of  $F$ , i.e.  $S \in stage2(F)$ , iff

- in case  $|SCCs(F)| = 1$ , then  $S \in stg(F)$ ,
- else,  $\forall C \in SCCs(F), (S \cap C) \in stage2(F|_C - D_F(S))$ .

According to the alternative characterization of  $cf2$  semantics, one can also formulate  $stage2$  semantics in the same way.

**Proposition 3.2** For any AF  $F$ ,

$$stage2(F) = \{S \mid S \in naive(F) \cap stg([[F - \Delta_{F,S}]])\}.$$

The remainder of this section is devoted to the proof of Proposition 3.2. To show that the alternative characterization is equivalent to Definition 3.1, we need to define two more formal concepts. First, we define the set of recursively component defeated arguments  $\mathcal{RD}_F(S)$  as in [20].

**Definition 3.3** Let  $F = (A, R)$  be an AF and  $S \subseteq A$ . We define the set of arguments recursively component defeated by  $S$  (in  $F$ ) as follows:

- if  $|SCCs(F)| = 1$  then  $\mathcal{RD}_F(S) = \emptyset$ ; else,
- $\mathcal{RD}_F(S) = D_F(S) \cup \bigcup_{C \in SCCs(F)} \mathcal{RD}_{F|_C - D_F(S)}(S \cap C)$ .

Next, we define the level of recursiveness a framework shows with respect to a set  $S$  of arguments.

**Definition 3.4** For an AF  $F = (A, R)$  and  $S \subseteq A$ , we recursively define the level  $\ell_F(S)$  of  $F$  w.r.t.  $S$  as follows:

- if  $|SCCs(F)| = 1$  then  $\ell_F(S) = 1$ ;
- otherwise,  $\ell_F(S) = 1 + \max(\{\ell_{F|_C - D_F(S)}(S \cap C) \mid C \in SCCs(F)\})$ .

**Lemma 3.5** For any AF  $F = (A, R)$ ,  $S \subseteq A$ . Let  $\mathcal{R}'_{F,C,S} = \mathcal{RD}_{F|_C - D_F(S)}(S \cap C)$ , then

$$(F|_C - D_F(S)) - \mathcal{R}'_{F,C,S} = F|_C - \mathcal{RD}_F(S).$$

**Proof.** The observation has been proven in more detail in [20]. Here we just sketch the idea. We fix a  $C \in SCCs(F)$ . Since for each further  $C' \in SCCs(F)$  (i.e.  $C \neq C'$ ), no argument from  $\mathcal{RD}_{F|_{C'} - D_F(S)}(S \cap C')$  occurs in  $F|_C$ , the assertion follows.  $\square$

Lemma 3.6 gives the first alternative characterization of *stage2*.

**Lemma 3.6** Let  $F = (A, R)$  be an AF and  $S \subseteq A$ . Then,

$$S \in stage2(F) \text{ iff } S \in stg([[F - \mathcal{RD}_F(S)]]).$$

**Proof.** We show the claim by induction over  $\ell_F(S)$ .

**Induction base.** For  $\ell_F(S) = 1$ , we have  $|SCCs(F)| = 1$ . By definition  $\mathcal{RD}_F(S) = \emptyset$  and we have  $[[F - \mathcal{RD}_F(S)]] = [[F]] = F$ . Thus, the assertion states that  $S \in stage2(F)$  iff  $S \in stg(F)$  which matches the original definition for the *stage2* semantics in case the AF has a single strongly connected component.

**Induction step.** Let  $\ell_F(S) = n$  and assume the assertion holds for all AFs  $F'$  and sets  $S'$  with  $\ell_{F'}(S') < n$ . In particular, we have by definition that, for each  $C \in SCCs(F)$ ,  $\ell_{F|_C - D_F(S)}(S \cap C)$

$C) < n$ . By the induction hypothesis and Lemma 3.5, we thus obtain that, for each  $C \in SCC_s(F)$  the following holds:

$$\begin{aligned} (S \cap C) \in stage2(F|_C - D_F(S)) &\text{ iff} \\ (S \cap C) \in stg([[F|_C - \mathcal{RD}_F(S)]]) &. \end{aligned} \quad (1)$$

We now prove the assertion. Let  $S \in stage2(F)$ . By definition, for each  $C \in SCC_s(F)$ ,  $(S \cap C) \in stage2(F|_C - D_F(S))$ . Using (1), we get that for each  $C \in SCC_s(F)$ ,  $(S \cap C) \in stg([[F|_C - \mathcal{RD}_F(S)]])$ . By the definition of components and the semantics of stage, the following relation thus follows:

$$\bigcup_{C \in SCC_s(F)} (S \cap C) \in stg\left(\bigcup_{C \in SCC_s(F)} [[F|_C - \mathcal{RD}_F(S)]]\right).$$

Since  $S = \bigcup_{C \in SCC_s(F)} (S \cap C)$  and due to [20],  $\bigcup_{C \in SCC_s(F)} [[F|_C - \mathcal{RD}_F(S)]] = [[F - \mathcal{RD}_F(S)]]$ , we arrive at  $S \in stg([[F - \mathcal{RD}_F(S)]])$  as desired. The other direction is by essentially the same arguments.  $\square$


**Proof.**[Proof of Proposition 3.2] The result holds by the following observations. By Lemma 3.6,  $S \in stage2(F)$  iff  $S \in stg([[F - \mathcal{RD}_F(S)]])$ . Moreover, due to [20], for any  $S \in cf(F)$ ,  $\Delta_{F,S} = \mathcal{RD}_F(S)$ . Finally,  $S \in stage2(F)$  implies  $S \in naive(F)$ .  $\square$

We obtain for the framework  $F$  of Example 2.7,  $stage2(F) = cf2(F) = \{\{a\}\}$ , and for the AF of Example 2.14,  $stage2(F) = stg(F) = \{\{a, c, e\}, \{b, d, f\}\}$ .

### 3.1 Comparison of *stage2* with other Semantics

Here we compare semantics w.r.t. the  $\subseteq$ -relations between the sets of extensions.

First, in general stage and *stage2* semantics are incomparable w.r.t. set inclusion. For instance, consider the following AF  $F$ .



Then,  $stage2(F) = \{\{a, d\}, \{b, d\}\}$ , but  $stg(F) = \{\{b, d\}, \{b, e\}\}$ .

Now, we consider the relation between *cf2* and *stage2* semantics. By Example 2.14 we know that there are AFs with  $cf2(F) \not\subseteq stage2(F)$ .

**Proposition 3.7** For any AF  $F = (A, R)$ ,  $stage2(F) \subseteq cf2(F)$ .

**Proof.** Consider a set  $S \in stage2(F)$ . By Proposition 3.2,  $S \in naive(F) \cap stg([[F - \Delta_{F,S}]])$ . Now using that for every AF  $G$ ,  $stg(G) \subseteq naive(G)$  we obtain  $S \in naive(F) \cap naive([[F - \Delta_{F,S}]])$ . By Proposition 2.11,  $S \in cf2(F)$ .  $\square$

Next, we study the relations between stable and *stage2* semantics.

**Proposition 3.8** For any AF  $F = (A, R)$ ,  $stable(F) \subseteq stage2(F)$ .

**Proof.** Consider  $E \in stable(F)$ , then we know that  $E \in naive(F)$  and for each  $a \in A \setminus E$  there exists  $b \in E$  such that  $(b, a) \in R$ . Hence,  $a \in E_{R_F}^+$ . It remains to show that  $E \in stg([F - \Delta_{F,E}])$ . We show the stronger statement  $E \in stable([F - \Delta_{F,E}])$ .

To this end, let  $F' = F - \Delta_{F,E}$  and  $F'' = [[F - \Delta_{F,E}]]$ , we have either  $a \in \Delta_{F,E}$  or  $a \in A_{F'}$ . For  $a \in A_{F'} = A_{F''}$ , we need to show that  $a \in E_{R_{F''}}^+$ . If  $a \in E$  clearly  $a \in E_{R_{F''}}^+$ , hence we consider  $a \in A_{F'} \setminus E$ . As  $E$  is stable there exists  $b \in E$  such that  $(b, a) \in R_{F'}$ . Now as  $a \notin \Delta_{F,E}$ , by Definition 2.10 we know that  $a \Rightarrow_F^{A \setminus \Delta_{F,E}} b$ . In other words  $a, b$  are in the same SCC of  $F'$  and thus  $(b, a) \in R_{F''}$ . Hence, for every  $a \in A_{F'} \setminus E$  there is an argument  $b \in E$  such that  $(b, a) \in R_{F''}$ , hence  $E \in stable(F'')$ . As for any AF  $G$   $stable(G) \subseteq stg(G)$ , it follows that  $E \in stg(F'')$ . Thus, by Proposition 3.2,  $E \in stage2(F)$ .  $\square$





Figure 1: Relations between naive-based semantics

Figure 1 gives an overview of the relations between naive-based semantics. An arrow from semantics  $\sigma$  to semantics  $\tau$  encodes that each  $\sigma$ -extension is also a  $\tau$ -extension. Furthermore, if there is no directed path from  $\sigma$  to  $\tau$ , then one can construct AFs with a  $\sigma$ -extension that is not a  $\tau$ -extension.

If an AF possesses at least one stable extensions, stage coincides with stable semantics. Obviously, this does not hold for *stage2* semantics, for instance consider the AF  $F = (\{a, b, c\}, \{(a, b), (b, a), (b, c), (c, c)\})$ .



We obtain  $stage2(F) = \{\{a\}, \{b\}\}$  and  $stable(F) = \{\{b\}\}$ . However, these semantics comply with each other in *coherent* AFs, i.e. AFs where stable and preferred semantics coincide.

**Proposition 3.9** *For any coherent AF  $F$ ,  $stable(F) = stg(F) = stage2(F)$ .*

**Proof.** By Proposition 3.8,  $stable(F) \subseteq stage2(F)$  and thus it only remains to show that also  $stable(F) \supseteq stage2(F)$  holds.

Let us first consider the case where  $F$  consists of a single SCC. Then,  $stage2$  semantics coincides with stage semantics and as  $F$  is coherent also with stable semantics.

Now, let this be our induction base, and let us assume the claim holds for AFs of size  $< n$ . Let us consider an AF  $F$  of size  $n$  with  $(C_i)_{1 \leq i \leq m}$  being the SCCs of  $F$ , such that there is no attack from  $C_i$  to  $C_j$  for  $j < i$ . If  $m = 1$  we are in the base-case, hence let us assume that  $m \geq 2$ . Consider  $S \in stage2(F)$  and  $S_1 = S \cap \bigcup_{1 \leq i < m} C_i$ ,  $S_2 = S \cap C_m$ . By definition of  $stage2$  we know that  $S_1 \in stage2(F - C_m)$  and  $S_2 \in stage2(F|_{C_m} - S_1^+)$ . Note,  $S_1 \cap S_2 = \emptyset$ .

By assumption,  $F$  is coherent and it is easy to see that also  $F - C_m$  is coherent. Hence, by the induction hypothesis,  $stable(F - C_m) = prf(F - C_m) = stage2(F - C_m)$ .

Next, we show that also  $F|_{C_m} - S_1^+$  is coherent. By definition,  $stable(F) \subseteq prf(F)$ . Now, consider an extension  $E_2 \in prf(F|_{C_m} - S_1^+)$ . By the directionality of  $prf$  and the fact that  $S_1 \in stable(F - C_m)$ , we obtain  $(S_1 \cup E_2) \in prf(F)$ . Now, as  $F$  is coherent also  $(S_1 \cup E_2) \in stable(F)$  and thus,  $E_2 \in stable(F|_{C_m} - S_1^+)$ . Hence,  $F|_{C_m} - S_1^+$  is coherent and again we can use the induction hypothesis.

Finally, we obtain  $S_1 \in stable(F - C_m)$  and  $S_2 \in stable(F|_{C_m} - S_1^+)$ , combining these results we get  $S \in stable(F)$ .  $\square$

Notice, the last theorem implies that on coherent AFs  $stage2$  semantics coincides with preferred, stage and semi-stable [9] semantics, because on coherent AFs all these semantics coincide with stable semantics.

## 3.2 Extension Evaluation Criteria

Several general criteria for the evaluation of argumentation semantics have been proposed in [3]. In this subsection we analyze the criteria relevant for naive-based semantics.

**Definition 3.10** *A semantics  $\sigma$  satisfies*

- *the I-maximality criterion if for each AF  $F = (A, R)$ , and for each  $S_1, S_2 \in \sigma(F)$ , if  $S_1 \subseteq S_2$  then  $S_1 = S_2$ ;*
- *the reinstatement criterion if for each AF  $F = (A, R)$ , and for each  $S \in \sigma(F)$ , a defended by  $S$  implies  $a \in S$ .*
- *the weak reinstatement criterion, if  $\forall F = (A, R)$ , and for each  $S \in \sigma(F)$ ,  $E \in grd(F) : E \subseteq S$ ;*

- the  $\mathcal{CF}$ -reinstatement criterion, if  $\forall F = (A, R)$ , for each  $S \in \sigma(F)$ ,  $\forall b : (b, a) \in R, \exists c \in S : (c, b) \in R$  and  $S \cup \{a\} \in cf(F) \Rightarrow a \in S$ .
- the directionality criterion if  $\forall F = (A, R)$ , and for each set of unattacked arguments  $U \subseteq A$  (s. t.  $\forall a \in A \setminus U$  there is no  $b \in U$  with  $(a, b) \in R$ ), it holds that  $\sigma(F|_U) = \{(S \cap U) \mid S \in \sigma(F)\}$ .

We start with some general properties of naive-based semantics.

**Proposition 3.11** *I-maximality and  $\mathcal{CF}$ -reinstatement are satisfied by each semantics  $\sigma$  with  $\sigma(F) \subseteq naive(F)$ .*

**Proof.** Clearly *naive* semantics satisfies both I-maximality and  $\mathcal{CF}$ -reinstatement. A set  $E$  which is  $\subseteq$ -maximal in *naive*( $F$ ) is also maximal in each subset of *naive*( $F$ ) and thus,  $\sigma$  satisfies I-maximality.  $\mathcal{CF}$ -reinstatement is a property defined on single extensions, and as each  $\sigma$ -extension is also a *naive* extension,  $\mathcal{CF}$ -reinstatement is satisfied.  $\square$

Among the naive-based semantics, only stable semantics satisfies the reinstatement property, which is due to the fact that it is also an admissible-based semantics.

**Proposition 3.12** *The reinstatement property is not satisfied by semantics which can select non-empty conflict-free subsets out of odd-length cycles.*

**Proof.** Consider an odd length cycle  $F = (\{a_1, \dots, a_n\}, \{(a_i, a_{i+1 \bmod n}) \mid 1 \leq i \leq n\})$  with  $n$  being an odd integer. We claim that no  $E \in cf(F)$  and  $E \neq \emptyset$  satisfies the reinstatement property. Now, towards a contradiction let us assume there exists a nonempty  $E \in cf(F)$  satisfying the reinstatement property. W.l.o.g. assume that  $a_1 \in E$ . Then  $a_3$  is defended and by assumption  $a_3 \in E$ . But then also  $a_5$  is defended, and by induction it follows that  $a_i \in E$  if  $i$  is odd. Hence also  $a_n \in E$ , but  $\{a_1, a_n\} \subseteq E$  contradicts that  $E$  is conflict-free in  $F$ .  $\square$

Hence, when considering naive-based semantics we are usually interested in weaker forms of reinstatement, namely the weak- or  $\mathcal{CF}$ -reinstatement.

**Proposition 3.13** *The weak reinstatement and directionality criterion are not satisfied by naive and stage semantics.*

**Proof.** Consider the AF  $F$  from Example 2.7. We obtain  $naive(F) = stg(F) = \{\{a\}, \{b\}\}$  and the grounded extension  $G = \{a\}$ . Then, the weak reinstatement criterion is not satisfied because  $G \not\subseteq \{b\}$ . Now let us consider directionality and the sub-framework  $F|_{\{a\}}$ . Then  $stg(F|_{\{a\}}) = \{\{a\}\}$  but  $\{(\{a\} \cap S) \mid S \in stg(F)\} = \{\emptyset, \{a\}\}$ , contradicting the directionality criterion.  $\square$

**Proposition 3.14** *The weak reinstatement criterion is satisfied by stage2 semantics.*

**Proof.** Let  $F = (A, R)$  and  $E \in grd(F)$ . Due to [5], for any AF  $F$  and any  $S \in cf2(F)$ ,  $E \subseteq S$ . From Proposition 3.7 we know that for any AF  $G$ ,  $stage2(G) \subseteq cf2(G)$ . It follows that for any extension  $S \in stage2(F)$ ,  $S \in cf2(F)$  and  $E \subseteq S$ .  $\square$

We sum up the results for the novel *stage2* semantics.

- Directionality is satisfied. Due to [3], any SCC-recursive semantics  $\sigma$  satisfies the directionality criterion. As the *stage2* semantics has been directly defined in terms of the SCC-recursive schema, the directionality criterion is indeed satisfied.
- *I*-maximality and  $\mathcal{CF}$ -reinstatement are satisfied, see Proposition 3.11.
- Reinstatement is not satisfied, see Proposition 3.12.
- Weak reinstatement is satisfied, see Proposition 3.14.

We summarize the evaluation criteria w.r.t. naive-based semantics in Table 1.

Finally, we mention that directionality implies the properties crash-resistance and non-interference (cf. [2]) which both are violated by stable semantics, but satisfied by *stage2*.

	<i>naive</i>	<i>stable</i>	<i>stg</i>	<i>cf2</i>	<i>stage2</i>
<i>I</i> -max.	Yes	Yes	Yes	Yes	Yes
Reinst.	No	Yes	No	No	No
Weak reinst.	No	Yes	No	Yes	Yes
$\mathcal{CF}$ -reinst.	Yes	Yes	Yes	Yes	Yes
Direct.	No	No	No	Yes	Yes

Table 1: Evaluation Criteria w.r.t. Naive-based Semantics.

### 3.3 Redundant Patterns w.r.t. *stage2* Semantics

Recently, redundant patterns for AFs w.r.t. specific semantics have been studied. In [1] the notion of equivalence w.r.t. stable semantics has been studied for logic-based argumentation systems. Whereas, Oikarinen and Woltran [23] identified kernels which eliminate redundant attacks of AFs and introduced the concept of strong equivalence as follows.

**Definition 3.15** *Two AFs  $F$  and  $G$  are strongly equivalent to each other w.r.t. a semantics  $\sigma$ , in symbols  $F \equiv_s^\sigma G$ , iff for each AF  $H$ ,  $\sigma(F \cup H) = \sigma(G \cup H)$ .*

By definition,  $F \equiv_s^\sigma G$  implies  $\sigma(F) = \sigma(G)$ , but the other direction is not true in general. In [21, 22], it has been shown that for *cf2* semantics, strong equivalence coincides with syntactic equivalence. In other words, there are no redundant patterns at all. In the following, we show that the same holds for *stage2* semantics as well.

**Theorem 3.16** *For any AFs  $F$  and  $G$ ,  $F \equiv_s^{stage2} G$  iff  $F = G$ .*

**Proof.** Since for any AFs  $F = G$  obviously implies for all AFs  $H$ ,  $stage2(F \cup H) = stage2(G \cup H)$ , we only have to show that if  $F \neq G$  there exists an AF  $H$  such that  $stage2(F \cup H) \neq stage2(G \cup H)$ .

For any two AFs  $F$  and  $G$ , strong equivalence w.r.t. naive-based semantics requires that the AFs coincide with the arguments and the self-attacks [21]. We thus assume that  $A = A_F = A_G$  and  $(a, a) \in R_F$  iff  $(a, a) \in R_G$ , for each  $a \in A$ . Let us thus suppose w.l.o.g. an attack  $(a, b) \in R_F \setminus R_G$  and consider the AF

$$H = (A \cup \{d, x, y, z, z1\}, \{(a, a), (b, b), (b, x), (x, a), (a, y), (y, z), (z, a), (z, z1), (z1, z), (z1, z1), (d, c) \mid c \in A \setminus \{a, b\}\}),$$

see also Figures 2 and 3 for illustration.




Figure 2:  $F \cup H$




Figure 3:  $G \cup H$

Then, there exists a set  $E = \{d, x, z\}$ , such that  $E \in stage2(F \cup H)$  but  $E \notin stage2(G \cup H)$ . To show that  $E \in stage2(F \cup H)$ , we first compute  $\Delta_{F \cup H, E} = \{c \mid c \in A \setminus \{a, b\}\}$ . Thus, in the instance  $F' = [[(F \cup H) - \Delta_{F \cup H, E}]]$  we have two SCCs left, namely  $C_1 = \{d\}$  and  $C_2 = \{a, b, x, y, z, z1\}$  as illustrated in Figure 4. Furthermore, all attacks between the arguments of  $C_2$  are preserved, and we obtain that  $E \in stg(F')$ , and as  $E$  is also a naive set of  $(F \cup H)$ ,  $E \in stage2(F \cup H)$  follows. On the other hand, we obtain  $\Delta_{G \cup H, E} = \{a\} \cup \{c \mid c \in A \setminus \{a, b\}\}$ , and the instance  $G' = [[(G \cup H) - \Delta_{G \cup H, E}]]$  consists of five SCCs, namely  $C_1 = \{d\}$ ,  $C_2 = \{b\}$ ,  $C_3 = \{x\}$ ,  $C_4 = \{y\}$  and  $C_5 = \{z, z1\}$ , with  $b$  and  $z1$  being self-attacking as illustrated in Figure 5.

Thus, the set  $T = \{d, x, y, z\} \supset E$  is conflict-free in  $G'$  and  $T_{R_{G'}}^+ \supset E_{R_{G'}}^+$ . Therefore, we obtain  $E \notin stg(G')$ , and hence,  $E \notin stage2(G \cup H)$ .  $F \not\equiv_s^{stage2} G$  follows.  $\square$

No matter which AFs  $F \neq G$  are given, we can always construct a framework  $H$  such that  $stage2(F \cup H) \neq stage2(G \cup H)$ . In particular, we can always add new arguments and attacks such that the missing attack in one of the original frameworks leads to different SCCs in the modified ones and therefore to different  $stage2$  extensions, when suitably augmenting the two AFs under comparison. Till now,  $stage2$  is the second semantics beside  $cf2$ , where strong equivalence coincides with syntactic equivalence.




Figure 4:  $F'$




Figure 5:  $G'$

To identify to which extend attacks contribute in terms of a given semantics, the *succinctness property* has been introduced in [22]. In contrast to strong equivalence which considers particular AFs, the succinctness property denotes a general property for argumentation semantics. Hence, it is independent of the specific instantiation method.

Before we give the definition of the succinctness property, we define what we mean with redundant attacks; for AFs  $F = (A, R)$  and  $F' = (A', R')$  we write  $F \subseteq F'$  to denote that  $A \subseteq A'$  and  $R \subseteq R'$  jointly hold. Moreover, we use  $F \setminus (a, b)$  as a shorthand for the framework  $(A, R \setminus \{(a, b)\})$ .

**Definition 3.17** For an AF  $F = (A, R)$  and semantics  $\sigma$  we call an attack  $(a, b) \in R$  redundant in  $F$  w.r.t.  $\sigma$  if for all  $F'$  with  $F \subseteq F'$ ,  $\sigma(F') = \sigma(F' \setminus (a, b))$ .

**Definition 3.18** An argumentation semantics  $\sigma$  satisfies the succinctness property or is maximal succinct iff no AF contains a redundant attack w.r.t.  $\sigma$ .

The following proposition gives the link between the succinctness property and strong equivalence.

**Proposition 3.19** [22] An argumentation semantics  $\sigma$  satisfies the succinctness property iff for any AFs  $F, G$  with  $A_F = A_G$ :  $(F \equiv_s^\sigma G \Leftrightarrow F = G)$ .

We point out that for all semantics considered so far, strong equivalence of AFs implies that the AFs have the same arguments. Thus, for our semantics, one can drop the condition  $A_F = A_G$  in the above proposition.

From Theorem 3.16 and Proposition 3.19 we conclude that the succinctness property is satisfied by *stage2* semantics.

## 4 Computational Complexity

In this section, we turn to computational issues. We assume the reader has knowledge about standard complexity classes, i.e. P, NP and coNP. Nevertheless, we briefly recapitulate the concept of oracle machines and some related complexity classes. Let  $\mathcal{C}$  notate some complexity class. By a  $\mathcal{C}$ -oracle machine we mean a (polynomial time) Turing machine which can access an oracle that decides a given (sub)-problem in  $\mathcal{C}$  within one step. We denote the class of decision problems, that can be solved by such machines, as  $P^{\mathcal{C}}$  if the underlying Turing machine is deterministic and  $NP^{\mathcal{C}}$

if the underlying Turing machine is non-deterministic. The class  $\Sigma_2^P = \text{NP}^{\text{NP}}$  denotes problems which can be decided by a non-deterministic polynomial time algorithm that has access to an NP-oracle. The class  $\Pi_2^P = \text{coNP}^{\text{NP}}$  is defined as the complementary class of  $\Sigma_2^P$ , i.e.  $\Pi_2^P = \text{co}\Sigma_2^P$ . Finally, we give an overview of the relations between the introduced complexity classes.

$$P \subseteq \begin{array}{c} \text{NP} \\ \text{coNP} \end{array} \subseteq \begin{array}{c} \Sigma_2^P \\ \Pi_2^P \end{array}$$

The typical reasoning problems in abstract argumentation are the following (for a semantics  $\sigma$ ):

- $Cred_\sigma$ : Given AF  $F = (A, R)$  and  $a \in A$ . Is  $a$  contained in *some*  $S \in \sigma(F)$ ?
- $Skept_\sigma$ : Given AF  $F = (A, R)$  and  $a \in A$ . Is  $a$  contained in *each*  $S \in \sigma(F)$ ?
- $Ver_\sigma$ : Given AF  $F = (A, R)$  and  $S \subseteq A$ . Is  $S \in \sigma(F)$ ?

The complexity of these problems for different semantics is well studied in the literature (see e.g. [14]). Next, we provide a complexity analysis for *stage2* semantics, exploiting the corresponding results for stage semantics [15].

**Theorem 4.1** *For stage2 semantics the following holds*

- $Cred_{stage2}$  is  $\Sigma_2^P$ -complete.
- $Skept_{stage2}$  is  $\Pi_2^P$ -complete.
- $Ver_{stage2}$  is coNP-complete.

**Proof.** We first consider the membership part starting with  $Ver_{stage2}$ . Given an AF  $F = (A, R)$  a set  $E$  of arguments by Proposition 3.2 we have to check whether  $E \in naive(F)$  (which can be done in P), and whether  $E \in stg([[F - \Delta_{F,S}]])$ . As  $[[F - \Delta_{F,S}]]$  can be constructed in polynomial time and  $Ver_{stg} \in \text{coNP}$ , the latter is in coNP and thus also  $Ver_{stage2} \in \text{coNP}$ . The problems  $Cred_{stage2}$  and  $Skept_{stage2}$  can be solved by a standard guess and check algorithm, i.e. guessing an extension containing the argument (resp. not containing the argument) and using an NP-oracle to verify the extension.

For the hardness part we give a reduction  $\mathcal{R}$  mapping argumentation frameworks to argumentation frameworks, such that for each AF  $F$  it holds that  $stg(F) = stage2(\mathcal{R}(F))$ <sup>3</sup>. The hardness results then follow from the corresponding hardness results for stage semantics [15].

Given an AF  $F = (A, R)$  we define  $\mathcal{R}(F) = (A^*, R^*)$  with  $A^* = A \cup \{t\}$  and  $R^* = R \cup \{(t, t)\} \cup \{(t, a), (a, t) \mid a \in A\}$ , where  $t$  is a fresh argument. Then,  $\mathcal{R}(F)$  has just a single SCC and hence  $stg(\mathcal{R}(F)) = stage2(\mathcal{R}(F))$ . It remains to show that  $stg(F) = stg(\mathcal{R}(F))$ . First, as  $(t, t) \in R^*$ , the argument  $t$  can not be contained in a stage extensions. Furthermore, the reduction  $\mathcal{R}$  does not modify attacks between argument in  $A$  we obtain  $cf(F) = cf(\mathcal{R}(F))$ . By the construction of  $\mathcal{R}(F)$ , for each non-empty  $E \subseteq A$   $E_R^+ \cup \{t\} = E_{R^*}^+$  thus,  $stg(F) = stg(\mathcal{R}(F))$ . It is easy to see that  $\emptyset \in stg(F)$  iff  $cf(F) = \{\emptyset\}$  iff  $\emptyset \in stg(\mathcal{R}(F))$ .  $\square$

<sup>3</sup>Such a  $\mathcal{R}$  is called an exact translation for  $stg \Rightarrow stage2$  in [16].

	<i>naive</i>	<i>stable</i>	<i>stg</i>	<i>cf2</i>	<i>stage2</i>
$Cred_\sigma$	in P	NP-c	$\Sigma_2^P$ -c	NP-c	$\Sigma_2^P$ -c
$Skept_\sigma$	in P	coNP-c	$\Pi_2^P$ -c	coNP-c	$\Pi_2^P$ -c
$Ver_\sigma$	in P	in P	coNP-c	in P	coNP-c

Table 2: Computational Complexity of naive-based semantics ( $\mathcal{C}$ -c denotes completeness for class  $\mathcal{C}$ ).

We summarize the complexity results for naive-based semantics in Table 2. The results, for naive semantics are due to [10], for stable semantics follows from [11], for stage semantics have been shown in [15], and the results for *cf2* semantics can be found in [22].

Considering the plethora of argumentation semantics, beside *stage2*, only for stage and semi-stable semantics the complexity of both skeptical and credulous reasoning is located on the second level of the polynomial hierarchy<sup>4</sup>. This indicates that *stage2* is among the computationally hardest semantics but in the same breath also among the most expressive ones.

## 5 Conclusion

We discussed the drawbacks of the existing naive-based semantics *cf2* and stage and proposed the new semantics *stage2* which combines concepts of *cf2* and stage to overcome their shortcomings.

We provided a broad discussion of *stage2*, its properties and relations to other semantics. First, beside the definition via the SCC-recursive schema we provided an alternative characterization which is similar to that of *cf2* semantics and thus allows to extend several results for *cf2* also to *stage2*. Further, we showed that *stage2* fixes the shortcomings of stage semantics w.r.t. the extension evaluation criteria proposed by [3]. We related *stage2* semantics to the existing semantics showing that  $stable(F) \subseteq stage2(F) \subseteq cf2(F)$ . Moreover, we observed that on coherent AFs *stage2* semantics coincides with stable and preferred semantics.

Concerning redundant patterns, it turned out that *stage2* semantics is the second semantics beside *cf2*, where strong equivalence coincides with syntactic equivalence. This means that there no redundant patterns at all, and *stage2* semantics satisfies the succinctness property proposed in [22].

Finally, we provided a complexity analysis showing *stage2* semantics is located at the second level of the polynomial hierarchy and thus among the hardest argumentation semantics. These complexity results guide the way to computationally adequate encodings in target formalism like answer-set programming [17] or quantified boolean formulas [18].

Recently, Dov Gabbay dedicated an article to the equational approach of *cf2* semantics [19]. Therein, he introduced several new semantics to overcome the problems with *cf2*. We leave a

<sup>4</sup>For preferred semantics only skeptical acceptance is located on the second level of the polynomial hierarchy while credulous acceptance is NP-complete [13].

detailed comparison of those semantics with *stage2* for future work. Furthermore, we identify the following two directions for future work. The first one being a more fine grained analysis of computational issues and appropriate implementations of *stage2* semantics. The latter concerning the role of *stage2* in the entire argumentation process. For instance, in [2] it has been shown that both, *cf2* and stage semantics fail the rationality postulates proposed in [8] when one uses the instantiation method proposed therein. Hence, one question for such investigation would be, under which circumstances *stage2* semantics satisfies the proposed rationality postulates.

## References

- [1] Leila Amgoud and Srdjan Vesic. On the Equivalence of Logic-Based Argumentation Systems. In Salem Benferhat and John Grant, editors, *Proceedings of the 5th International Conference on Scalable Uncertainty Management (SUM 2011)*, volume 6929 of *Lecture Notes in Computer Science*, pages 123–136. Springer, 2011.
- [2] Pietro Baroni, Martin Caminada, and Massimiliano Giacomin. An introduction to argumentation semantics. *Knowledge Eng. Review*, 26(4):365–410, 2011.
- [3] Pietro Baroni and Massimiliano Giacomin. On principle-based evaluation of extension-based argumentation semantics. *Artif. Intell.*, 171(10-15):675–700, 2007.
- [4] Pietro Baroni and Massimiliano Giacomin. Semantics of abstract argument systems. In I. Rahwan and G. Simari, editors, *Argumentation in Artificial Intelligence*, pages 25–44. Springer, 2009.
- [5] Pietro Baroni, Massimiliano Giacomin, and Giovanni Guida. Scc-recursiveness: A general schema for argumentation semantics. *Artif. Intell.*, 168(1-2):162–210, 2005.
- [6] Trevor J. M. Bench-Capon. Persuasion in practical argument using value-based argumentation frameworks. *Journal of Logic and Computation*, 13(3):429–448, 2003.
- [7] Gustavo A. Bodanza and Fernando A. Tohm. Two approaches to the problems of self-attacking arguments and general odd-length cycles of attack. *Journal of Applied Logic*, 7(4):403 – 420, 2009. Special Issue: Formal Models of Belief Change in Rational Agents.
- [8] Martin Caminada and Leila Amgoud. On the evaluation of argumentation formalisms. *Artif. Intell.*, 171(5-6):286–310, 2007.
- [9] Martin Caminada, Walter A. Carnielli, and Paul E. Dunne. Semi-stable semantics. *Journal of Logic and Computation*, 2011.
- [10] Sylvie Coste-Marquis, Caroline Devred, and Pierre Marquis. Symmetric argumentation frameworks. In Lluís Godo, editor, *Proceedings of the 8th European Conference on Symbolic and Quantitative Approaches to Reasoning with Uncertainty (ECSQARU 2005)*, volume 3571 of *Lecture Notes in Computer Science*, pages 317–328. Springer, 2005.

- [11] Yannis Dimopoulos and Alberto Torres. Graph theoretical structures in logic programs and default theories. *Theor. Comput. Sci.*, 170(1-2):209–244, 1996.
- [12] Phan Minh Dung. On the acceptability of arguments and its fundamental role in nonmonotonic reasoning, logic programming and n-person games. *Artif. Intell.*, 77(2):321–358, 1995.
- [13] Paul E. Dunne and Trevor J. M. Bench-Capon. Coherence in finite argument systems. *Artif. Intell.*, 141(1/2):187–203, 2002.
- [14] Paul E. Dunne and Michael Wooldridge. Complexity of abstract argumentation. In Guillermo Simari and Iyad Rahwan, editors, *Argumentation in Artificial Intelligence*, pages 85–104. Springer US, 2009.
- [15] Wolfgang Dvořák and Stefan Woltran. Complexity of semi-stable and stage semantics in argumentation frameworks. *Inf. Process. Lett.*, 110(11):425–430, 2010.
- [16] Wolfgang Dvořák and Stefan Woltran. On the intertranslatability of argumentation semantics. *J. Artif. Intell. Res. (JAIR)*, 41:445–475, 2011.
- [17] Uwe Egly, Sarah Gaggl, and Stefan Woltran. Answer-set programming encodings for argumentation frameworks. *In Argument and Computation*, 1(2):147–177, 2010.
- [18] Uwe Egly and Stefan Woltran. Reasoning in argumentation frameworks using quantified boolean formulas. In Paul E. Dunne and Trevor J. M. Bench-Capon, editors, *Proceedings of the 1st Conference on Computational Models of Argument (COMMA 2006)*, volume 144 of *Frontiers in Artificial Intelligence and Applications*, pages 133–144. IOS Press, 2006.
- [19] Dov M. Gabbay. The equational approach to cf2 semantics. *CoRR*, abs/1203.0220, 2012.
- [20] Sarah Alice Gaggl and Stefan Woltran. cf2 semantics revisited. In Pietro Baroni, Federico Cerutti, Massimiliano Giacomin, and Guillermo Ricardo Simari, editors, *Computational Models of Argument: Proceedings of COMMA 2010, Desenzano del Garda, Italy, September 8-10, 2010*, volume 216 of *Frontiers in Artificial Intelligence and Applications*, pages 243–254. IOS Press, 2010.
- [21] Sarah Alice Gaggl and Stefan Woltran. Strong Equivalence for Argumentation Semantics Based on Conflict-Free Sets. In Weiru Liu, editor, *Proceedings of the 11th European Conference on Symbolic and Quantitative Approaches to Reasoning with Uncertainty (ECSQARU 2011)*, volume 6717 of *Lecture Notes in Computer Science*, pages 38–49. Springer, 2011.
- [22] Sarah Alice Gaggl and Stefan Woltran. The cf2 argumentation semantics revisited. *Journal of Logic and Computation*, 2012. submitted to.
- [23] Emilia Oikarinen and Stefan Woltran. Characterizing Strong Equivalence for Argumentation Frameworks. *Artif. Intell.*, 175(14-15):1985–2009, 2011.

- [24] Bart Verheij. Two approaches to dialectical argumentation: admissible sets and argumentation stages. In J. Meyer and L. van der Gaag, editors, *Proceedings of the 8th Dutch Conference on Artificial Intelligence (NAIC'96)*, pages 357–368, 1996.